The Department of Natural Resources is providing this report to satisfy the requirements of the "Procedures Concerning Certain Licenses Act", IC 14-11-4, and its associated administrative rule, 312 IAC 2-3. The application files are available for public inspection at the Division of Water's office in Indianapolis. Please contact the Division's Technical Services Section at (317) 232-4160 or the toll free number 1-877-928-3755 to make an appointment for file review. Photocopies may be made for a nominal charge of \$0.10 per 8 1/2 " X 11" copy.

A pre-action public hearing on an application may be requested by filing a written petition with the Director, Division of Water:

Michael W. Neyer, P.E., Director Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

For a petition to be considered valid it must:

- 1. Contain the typed or legibly printed name and complete mailing address of each petitioner;
- 2. Be signed by a minimum of 25 individuals who are at least 18 years old and either reside in the county where the project will take place or own real property within 1 mile of the project site;
- 3. Affirm that each signatory to the petition satisfies the requirements of item 2; and
- 4. Identify the application for which the public hearing is being requested either by the application # or the applicant's name and the project description.

A petition which does not meet these requirements will be considered invalid and the hearing request will not be granted.

A person may request that the Department provide written notice of its action on an application by filing a written request with:

Division of Water Room W264 402 West Washington Street Indianapolis, Indiana 46204

The request must identify the application by either the application # or the applicant's name and the project description.

Application # : FW-24779

Stream : Big Lick Creek

Applicant : Delaware County Commissioners

Michael Denton

100 West Main Street, Room 309

Muncie, IN 47305-2827

Description

The existing 31 foot two-span multiplate arch under fill bridge (Deleware County Bridge No. 16) will be replaced with a 120' long 2-span prestressed concrete box beam bridge with span lengths of 60' each. The spill through abutments will have 2:1 side slopes armored with riprap. The abutments and piers will not be skewed. The existing structure will be completely removed. The approaching roads will not be elevated above the existing grade. The channel will be widened under the existing structure to match the profile of Big Lick Creek. In-channel work for this project will be limited to that which is necessary for the placement of substructure, foundation, riprap, and channel modification under the bridge and geotextiles. The fill material placed below the OHWM will be limited to 210 cubic yards of revetment riprap. Channel work will extend approximately 70' upstream and 50' downstream of the structure.. The total project length is approximately 346'. No additional permanent or temporary right-of-way is required for this project. Details of the project are contained in information and plans received at the Division of Water on March 25, 2008.

Location : County Bridge #16 carrying County Road 1275 North over Big Lick Creek

DOWNSTREAM: near Wheeling, Washington Township, Delaware County

SW¼, NE¼, NE¼, Section 12, T 22N, R 9E, Wheeling Quadrangle

Quad Code: 4008534

UTM Coordinates: Downstream 4470752 North, 631763 East

UPSTREAM:

UTM Coordinates: Upstream 4470768 North, 631774 East

Statute/Rule Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : FW-24806

Stream : Ohio River

Applicant : Robert Wheeler

Turtle Creek Harbor

PO Box 70 205 Sixth Street Florence, IN 47020

Description : Approximately 2,084 cubic yards of silt will be dredged from two (2) areas to a

depth of 2'. The qualities of the material to be removed at each site would be: Site 1 - 1,667 cubic yards and Site 2 - 417 cubic yards. The excavated material would be disposed in filter sock tubes and placed in a grassy area. The areas would be dredged as needed for a period of 5 years. The purpose of the project is to maintain 6 to 8 feet depth. The dredging will be preformed using a hydraulic dredging machine. Details of the project are contained in information and plans

received at the Division of Water on April 14, 2008.

Location : 205 6th Street - Turtle Creek Harbor ; at the confluence of Turtle Creek

DOWNSTREAM: at Florence, York Township, Switzerland County S½, NW¼, NE¼, Section 6, T 1N, R 1W, Florence, IN-KY Quadrangle

Quad Code: 3808478

UTM Coordinates: Downstream 4294707 North, 680463 East

UPSTREAM:

UTM Coordinates: Upstream 4294774 North, 680622 East

Statute/Rule : Flood Control Act, IC 14-28-1, with the associated Flood Hazard Area Rule, 312

IAC 10

Application # : PL-20973

Lake : Tippecanoe Lake

Applicant : Lakeview Terrace Mobile Home Park Inc

Lewis Neibert

5306 East Ridgeview Drive Leesburg, IN 46538-8400

Description : A 24' by 12' by .5' concrete boat ramp connecting to County Road T-13 Lane is

proposed. Specific project information will be added to the description as the application is further reviewed. Details of the project are contained in information and plans received at the Division of Water on March 10, 2008 and April 2, 2008.

Location : Approximately 5000' south of the County Road 650 North and 500 East

intersection

near Leesburg, Tippecanoe Township, Kosciusko County

SW¼, SW¼, NW¼, Section 17, T 33N, R 7E, North Webster Quadrangle

Quad Code: 4108536

UTM Coordinates: Downstream 4574566 North, 604774 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20992

Lake : Pleasant Lake

Applicant : Lakeville Business Owners Association

Bob E Feitz PO Box 468

Lakeville, IN 46536-0468

Description

: Approximately 33,000 cubic yards of sediment will be hydraulically dredged from the lake totaling approximately 1.86 acres. The remvoal will take place at the mouth of the Heston Ditch and the area will be dredged to a maximum depth of 8'. The dredged slurry will be pumped to an upland sediment basin. The majority of water will be returned to the lake through an ourfall pipe after circulating in the basin. The return water will be filtered through a turbidity curtain to remove fine sediment that did not settle out in the basin. Details of the project are contained in information and plans received at the Division of Water on April 8, 2008.

Location

Downstream End: In the southeast corner of the lake just northeast of the ditch leading to the exit ditch (Heston) going south of Bremen, the Yellow River Upstream End: In the northernmost cove of the lake at the mouth of Heston Ditch

DOWNSTREAM: near Lakeville, Union Township, St. Joseph County SE¼, NW¼, NE¼, Section 1, T 35N, R 2E, Lakeville Quadrangle

Quad Code: 4108653

UTM Coordinates: Downstream 4596096 North, 560556 East

UPSTREAM:

UTM Coordinates: Upstream 4596619 North, 560278 East

Statute/Rule

: Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20993

Lake : Shipshewana Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. Details of the project are contained in

information and plans received at the Division of Water on April 8, 2008.

Location : Shipshewana Lake Access site.

near Shipshewana, Newbury Township, LaGrange County

NE¼, NE¼, NE¼, Section 9, T 37N, R 8E, Shipshewana Quadrangle

Quad Code: 4108565

UTM Coordinates: Downstream 4615727 North, 616488 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20994

Lake : Oliver Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Oliver Lake access site

near Wolcottville, Johnson Township, LaGrange County

NE¼, SW¼, NE¼, Section 18, T 36N, R 10E, Oliver Lake Quadrangle

Quad Code: 4108554

UTM Coordinates: Downstream 4604084 North, 632320 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20995

Lake : Wall Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Wall Lake access site

near Orland, Greenfield Township, LaGrange County

NW¼, SE¼, NE¼, Section 25, T 38N, R 11E, Orland Quadrangle

Quad Code: 4108562

UTM Coordinates: Downstream 4620876 North, 649693 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20996

Lake : Emma Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Emma Lake access site

near Emma, Clay Township, LaGrange County

NW1/4, SW1/4, SW1/4, Section 1, T 36N, R 8E, Topeka Quadrangle

Quad Code: 4108555

UTM Coordinates: Downstream 4607184 North, 621530 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20997

Lake : Fish Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Fish Lake access site

near Goshen, Clinton Township, Elkhart County

SE1/4, SW1/4, SE1/4, Section 12, T 36N, R 7E, Millersburg Quadrangle

Quad Code: 4108556

UTM Coordinates: Downstream 4604238 North, 611474 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20998

Lake : Diamond Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Diamond Lake public fishing site

near Ligonier, Elkhart Township, Noble County

NE14, NW14, NW14, Section 5, T 34N, R 9E, Ligonier Quadrangle

Quad Code: 4108545

UTM Coordinates: Downstream 4588374 North, 623792 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-20999

Lake : Knapp Lake

Applicant : Division of Fish & Wildlife

Gregg McCollam

402 West Washington Street

ICG South, Room 273

Indianapolis, IN 46204-2781

Description : An approximate 8' by 12' existing ADA access well will be restored to its original

condition by removing a maximum of 14 cubic feet of debris from the lakebed. The dredging will be performed by a backhoe. The excavated material will be transported to an upland disposal area. In order to maintain the access well periodic dredging of sediment may be required over the next 10 years. Details of the project are contained in information and plans received at the Division of

Water on April 8, 2008.

Location : At the Knapp Lake public fishing site

near Wilmot, Washington Township, Noble County

SE1/4, NE1/4, SW1/4, Section 4, T 33N, R 8E, Ormas Quadrangle

Quad Code: 4108535

UTM Coordinates: Downstream 4577821 North, 616729 East

Statute/Rule : Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake

Application # : PL-21004

Lake : Webster Lake

Applicant : Aaron C Crouch

15 EMS W17C Lane

North Webster, IN 46555-9504

Description

An existing concrete seawall will be refaced across the entire length of the 110' frontage of the applicant on Webster Lake to prevent deterioration. The refacing will consist of reinforced, poured in place concrete which will be tied to the existing wall with steel reinforcing rods. The refacing will have a maximum thickness of 12" and will be sloped on the lakeward side. A 12" wide layer of glacial stone will be placed at the base of the wall for toe protection. A 36" wide concrete walkway will be constructed on top and landward of the lakeward face of the refaced wall. This walkway will widen to 60" for a length of 20' starting the far west side. A concrete retaining wall will be constructed atop the landward side of the above mentioned walkay which will be 4' high and run the entire length of the seawall. A stairway will be constructed from the top of the retaining wall to the top of the seawall inside of the 20' widened section. Details of the project are contained in information received electronically at the Division of Water on April 15, 2008 and in plans and information received at the Division of Water on

Location

15 EMS W17C Lane; project is located on the southern shore of a channel located on the east side of Webster Lake immediately south of Hiner Island. The site starts on the West side of the bridge on W17c Lane to Hiner Island and extends West for 110 feet

at North Webster, Washington Township, Kosciusko County

Statute/Rule

Lakes Preservation Act, IC 14-26-2, with the associated Public Freshwater Lake